

L Number	Hits	Search Text	DB	Time stamp
1	201	human adj (eb\$2 or embryoid adj bod\$3)	USPAT; US-PGPUB; EPO; JPO	2004/01/08 15:41
2	2	(human adj (eb\$2 or embryoid adj bod\$3)) same (eg or embryonic adj germ or primordial adj germ) adj cell\$1	USPAT; US-PGPUB; EPO; JPO	2004/01/08 15:39
3	6	(human adj (eb\$2 or embryoid adj bod\$3)) and (eg or embryonic adj germ or primordial adj germ) adj cell\$1	USPAT; US-PGPUB; EPO; JPO	2004/01/08 15:39
4	1	human adj (eb\$2 or embryoid adj bod\$3) adj derived adj cell\$1	USPAT; US-PGPUB; EPO; JPO	2004/01/08 15:41
5	16	(eb\$2 or embryoid adj bod\$3) adj derived adj cell\$1	USPAT; US-PGPUB; EPO; JPO	2004/01/08 15:41

- developmental growth of **embryoid bodies** of
mouse teratocarcinoma OTT-6050 *in vitro*
- SO Development, Growth & Differentiation (1988), 30(5), 471-82
CODEN: DGDFAS; ISSN: 0012-1592
- L10 ANSWER 31 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU RISAU W [Reprint author]; SARIOLA H; ZERWES H-G; SASSE J; EKBLOM P; KEMLER
R; DOETSCHMAN T
TI VASCULOGENESIS AND ANGIOGENESIS IN EMBRYONIC-STEM-**CELL**-DERIVED
EMBRYOID BODIES.
SO Development (Cambridge), (1988) Vol. 102, No. 3, pp. 471-478.
CODEN: DEVPED. ISSN: 0950-1991.
- L10 ANSWER 32 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU DOETSCHMAN T [Reprint author]; WILLIAMS P; MAEDA N
TI ESTABLISHMENT OF HAMSTER BLASTOCYST-DERIVED EMBRYONIC STEM ES
CELLS.
SO Developmental Biology, (1988) Vol. 127, No. 1, pp. 224-227.
CODEN: DEBIAO. ISSN: 0012-1606.
- L10 ANSWER 33 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU CASANOVA J E [Reprint author]; GRABEL L B
TI THE ROLE OF **CELL** INTERACTIONS IN THE DIFFERENTIATION OF
TERATOCARCINOMA-DERIVED PARIETAL AND VISCELAR **ENDODERM**.
SO Developmental Biology, (1988) Vol. 129, No. 1, pp. 124-139.
CODEN: DEBIAO. ISSN: 0012-1606.
- L10 ANSWER 34 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU GROVER A [Reprint author]; ROSENTRAUS M J; STERMAN B; SNOOK M E; ADAMSON E
D
TI AN ADHESION-DEFECTIVE VARIANT OF F9 EMBRYONAL CARCINOMA **CELLS**
FAILS TO DIFFERENTIATE INTO VISCELAR **ENDODERM**.
SO Developmental Biology, (1987) Vol. 120, No. 1, pp. 1-11.
CODEN: DEBIAO. ISSN: 0012-1606.
- L10 ANSWER 35 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Grover, Amita; Adamson, Eileen D.
TI Evidence for the existence of an early common biochemical pathway in the
differentiation of F9 **cells** into visceral or parietal
endoderm: modulation by cyclic AMP
SO Developmental Biology (Orlando, FL, United States) (1986),
114(2), 492-503
CODEN: DEBIAO; ISSN: 0012-1606
- L10 ANSWER 36 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU SMITH T A [Reprint author]; BOX K M; HOOPER M L
TI CLONES DEFECTIVE IN METABOLIC COOPERATION SELECTED FROM A PLURIPOTENT
FEEDER-DEPENDENT **MOUSE** EMBRYONAL CARCINOMA **CELL** LINE.
SO Experimental Cell Research, (1986) Vol. 167, No. 1, pp. 106-118.
CODEN: ECREAL. ISSN: 0014-4827.
- L10 ANSWER 37 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU GRABEL L B [Reprint author]; CASANOVA J E
TI THE OUTGROWTH OF PARIETAL **ENDODERM** FROM **MOUSE**
TERATOCARCINOMA STEM-**CELL** **EMBRYOID BODIES**.
SO Differentiation, (1986) Vol. 32, No. 1, pp. 67-73.
CODEN: DFFNAW. ISSN: 0301-4681.
- L10 ANSWER 38 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU ADAMSON E D [Reprint author]; STRICKLAND S; TU M; KAHAN B
TI A TERATOCARCINOMA-DERIVED **ENDODERM** STEM **CELL** LINE 1H-5
THAT CAN DIFFERENTIATE INTO EXTRA-EMBRYONIC **ENDODERM**

- CELL TYPES.**
- SO Differentiation, (1985) Vol. 29, No. 1, pp. 68-76.
CODEN: DFFNAW. ISSN: 0301-4681.
- L10 ANSWER 39 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU DOETSCHMAN T C [Reprint author]; EISTETTER H; KATZ M; SCHMIDT W; KEMLER R
TI THE IN-VITRO DEVELOPMENT OF BLASTOCYST-DERIVED EMBRYONIC STEM **CELL**
LINES FORMATION OF VISCERAL YOLK SAC BLOOD ISLANDS AND MYOCARDIUM.
SO Journal of Embryology and Experimental Morphology, (1985) Vol. 87, pp.
27-46.
CODEN: JEEMAF. ISSN: 0022-0752.
- L10 ANSWER 40 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Stacey, Alexander J.; Evans, Martin J.
TI A gene sequence expressed only in undifferentiated EC, EK **cells**
and testes
SO EMBO Journal (1984), 3(10), 2279-85
CODEN: EMJODG; ISSN: 0261-4189
- L10 ANSWER 41 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Adamson, Eileen D.; Hogan, Brigid L. M.
TI Expression of EGF receptor and transferrin by F9 and PC13 teratocarcinoma
cells
SO Differentiation (Berlin, Germany) (1984), 27(2), 152-7
CODEN: DFFNAW; ISSN: 0301-4681
- L10 ANSWER 42 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Walt H.; Hedinger C.E.
TI Differentiation of human testicular embryonal carcinoma and
teratocarcinoma grown in nude mice and soft-agar cultures.
SO Cell Differentiation, (1984) 15/2-4 (81-86).
CODEN: CLDFAT
- L10 ANSWER 43 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU GROVER A [Reprint author]; OSHIMA R G; ADAMSON E D
TI EPITHELIAL LAYER FORMATION IN DIFFERENTIATING AGGREGATES OF F-9 EMBRYONAL
CARCINOMA **CELLS**.
SO Journal of Cell Biology, (1983) Vol. 96, No. 6, pp. 1690-1696.
CODEN: JCLBA3. ISSN: 0021-9525.
- L10 ANSWER 44 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Hamada, Hiroshi; Sato, Masahiro; Murata, Fusayoshi; Muramatsu, Takashi
TI Differential expression of lectin receptors in germ layers of the
mouse egg cylinder and teratocarcinomas
SO Experimental Cell Research (1983), 144(2), 489-95
CODEN: ECREAL; ISSN: 0014-4827
- L10 ANSWER 45 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU ROSENSTRaus M J [Reprint author]
TI ISOLATION AND CHARACTERIZATION OF AN EMBRYONAL CARCINOMA **CELL**
LINE LACKING STAGE SPECIFIC EMBRYONIC ANTIGEN 1 ANTIGEN.
SO Developmental Biology, (1983) Vol. 99, No. 2, pp. 318-323.
CODEN: DEBIAO. ISSN: 0012-1606.
- L10 ANSWER 46 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Baechinger, Hans Peter; Fessler, Liselotte I.; Fessler, John H.
TI **Mouse** procollagen IV. Characterization and supramolecular
association
SO Journal of Biological Chemistry (1982), 257(16), 9796-803
CODEN: JBCHA3; ISSN: 0021-9258

- L10 ANSWER 47 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU DZIADEK M A [Reprint author]
TI USE OF GLYCINE AS A NONENZYMIC PROCEDURE FOR SEPARATION OF **MOUSE**
EMBRYONIC TISSUES AND DISSOCIATION OF **CELLS**.
SO Experimental Cell Research, (1981) Vol. 133, No. 2, pp. 383-394.
CODEN: ECREAL. ISSN: 0014-4827.
- L10 ANSWER 48 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Kapadia, Anupsheela; Feizi, Ten; Evans, Martin J.
TI Changes in the expression and polarization of blood group I and i antigens
in post-implantation embryos and teratocarcinomas of **mouse**
associated with **cell** differentiation
SO Experimental Cell Research (1981), 131(1), 185-95
CODEN: ECREAL; ISSN: 0014-4827
- L10 ANSWER 49 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Zeuthen J.
TI Human teratocarcinoma **cell** lines. A review.
SO International Journal of Andrology, (1981) 4/Suppl. 4 (61-78).
CODEN: IJANDP
- L10 ANSWER 50 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Oshima R.; Linney E.
TI Identification of murine extra-embryonic **endodermal**
cells by reaction with teratocarcinoma basement membrane
antiserum.
SO Experimental Cell Research, (1980) 126/2 (485-490).
CODEN: ECREAL
- L10 ANSWER 51 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Lovell-Badge R.H.; Evans M.J.
TI Changes in protein synthesis during differentiation of embryonal carcinoma
cells, and a comparison with embryo **cells**.
SO Journal of Embryology and Experimental Morphology, (1980) VOL. 59/-
(187-206).
CODEN: JEEMAF
- L10 ANSWER 52 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU LO C W [Reprint author]; GILULA N B
TI PCC-4AZAL TERATO CARCINOMA STEM **CELL** DIFFERENTIATION IN
CULTURE 2. MORPHOLOGICAL CHARACTERIZATION.
SO Developmental Biology, (1980) Vol. 75, No. 1, pp. 93-111.
CODEN: DEBIAO. ISSN: 0012-1606.
- L10 ANSWER 53 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Zeuthen J.; Norgaard J.O.R.; Avner P.; et al.
TI Characterization of a human ovarian teratocarcinoma-derived **cell**
line.
SO International Journal of Cancer, (1980) 25/1 (19-32).
CODEN: IJCNAW
- L10 ANSWER 54 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Wolfe, Jonathan; Mautner, Vivien; Hogan, Brigid; Tilly, Rita
TI Synthesis and retention of fibronectin (LETS protein) by **mouse**
teratocarcinoma **cells**
SO Experimental Cell Research (1979), 118(1), 63-71
CODEN: ECREAL; ISSN: 0014-4827

- L10 ANSWER 55 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Failly-Crepin C.; Martin G.R.
TI Protein synthesis and differentiation in a clonal line of teratocarcinoma
and in preimplantation **mouse** embryo.
SO Cell Differentiation, (1979) 8/1 (61-73).
CODEN: CLDFAT
- L10 ANSWER 56 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Wartiovaara, J.; Leivo, I.; Virtanen, I.; Vaheri, A.; Graham, C. F.
TI Appearance of fibronectin during differentiation of **mouse**
teratocarcinoma in vitro
SO Nature (London, United Kingdom) (1978), 272(5651), 355-6
CODEN: NATUAS; ISSN: 0028-0836
- L10 ANSWER 57 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Linney, Elwood; Levinson, Barbara B.
TI Teratocarcinoma differentiation: plasminogen activator activity
associated with **embryoid body** formation
SO Cell (Cambridge, MA, United States) (1977), 10(2), 297-304
CODEN: CELLB5; ISSN: 0092-8674
- L10 ANSWER 58 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU MARTIN G R [Reprint author]; WILEY L M; DAMJANOV I
TI THE DEVELOPMENT OF CYSTIC **EMBRYOID BODIES** IN-VITRO
FROM CLONAL TERATO CARCINOMA STEM **CELLS**.
SO Developmental Biology, (1977) Vol. 61, No. 2, pp. 230-244.
CODEN: DEBIAO. ISSN: 0012-1606.
- L10 ANSWER 59 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Hogan B.L.M.
TI Changes in the behaviour of teratocarcinoma **cells** cultivated in
vitro.
SO Nature, (1976) 263/5573 (136-137).
CODEN: NATUAS
- L10 ANSWER 60 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Martin G.R.; Evans M.J.
TI Differentiation of clonal teratocarcinoma **cells**: formation of
embryoid bodies in vitro.
SO Proceedings of the National Academy of Sciences of the United States of
America, (1975) 72/4 (1441-1445).
CODEN: PNASA6
- L10 ANSWER 61 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Teresky A.K.; Marsden M.; Kuff E.L.; Levine A.J.
TI Morphological criteria for the in vitro differentiation of
embryoid bodies produced by a transplantable teratoma of
mice.
SO Journal of Cellular Physiology, (1974) 84/2 (319-332).
CODEN: JCLLAX
- L10 ANSWER 62 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Hsu Y.C.; Baskar J.
TI Differentiation in vitro of normal **mouse** embryos and
mouse embryonal carcinoma.
SO Journal of the National Cancer Institute, (1974) 53/1 (177-185).
CODEN: JNCIAM

- L10 ANSWER 1 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
- AU Nishikawa S.-I.; Nishikawa S.; Hirashima M.; Matsuyoshi N.; Kodama H.
- TI Progressive lineage analysis by **cell** sorting and **culture**
identifies FLK1+VE-cadherin+ **cells** at a diverging point of
endothelial and hemopoietic lineages.
- SO Development, (1998) 125/9 (1747-1757).
Refs: 42
ISSN: 0950-1991 CODEN: DEVPED
- L10 ANSWER 2 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- AU Grabel, Laura [Reprint author]; Becker, Sandy; Lock, Leslie; Maye, Peter;
Zanders, Tyiesha
- TI Using EC and ES **cell culture** to study early
development: Recent observations on indian hedgehog and Bmps.
- SO International Journal of Developmental Biology, (1998) Vol. 47, No. 7, pp.
917-925. print.
CODEN: IJDBE5. ISSN: 0214-6282.
- L10 ANSWER 3 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- AU Perkins, Andrew C. [Reprint author]
- TI Enrichment of blood from embryonic stem **cells** in vitro.
- SO Reproduction Fertility and Development, (1998) Vol. 10, No. 7-8, pp.
563-572. print.
ISSN: 1031-3613.
- L10 ANSWER 4 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- AU Saitou, Mitinori; Fujimoto, Kazushi; Doi, Yoshinori; Itoh, Masahiko;
Fujimoto, Toyoshi; Furuse, Mikio; Takano, Hiroshi; Noda, Tetsuo; Tsukita,
Shoichiro [Reprint author]
- TI Occludin-deficient embryonic stem **cells** can differentiate into
polarized epithelial **cells** bearing tight junctions.
- SO Journal of Cell Biology, (April 20, 1998) Vol. 141, No. 2, pp. 397-408.
print.
CODEN: JCLBA3. ISSN: 0021-9525.
- L10 ANSWER 5 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
- AU Goumans, Marie-Jose; Oostwaard, Dorien Ward-Van; Wianny, Florence;
Savatier, Pierre; Zwijsen, An; Mummary, Christine
- TI **Mouse** embryonic stem **cells** with aberrant transforming
growth factor .beta. signaling exhibit impaired differentiation in vitro
and in vivo
- SO Differentiation (Berlin) (1998), 63(3), 101-113
CODEN: DFFNAW; ISSN: 0301-4681
- L10 ANSWER 6 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
- AU Park, Jong-Im; Yoshida, Ikuya; Tada, Takashi; Takagi, Nobuo; Takahashi,
Yoshiyuki; Kanagawa, Hiroshi
- TI Differentiative potential of a **mouse** parthenogenetic embryonic
stem **cell** line revealed by **embryoid body**
formation in vitro.
- SO Japanese Journal of Veterinary Research, (May, 1998) Vol. 46, No. 1, pp.
19-28. print.
CODEN: JJVRAE. ISSN: 0047-1917.
- L10 ANSWER 7 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
- AU Shim, Hosup; Gutierrez-Adan, Alfonso; Chen, Lih-Ren; BonDurant, Robert H.;
Behboodi, Esmaeil; Anderson, Gary B.
- TI Isolation of pluripotent stem **cells** from cultured porcine
primordial germ **cells**

- SO Biology of Reproduction (1997), 57(5), 1089-1095
CODEN: BIREBV; ISSN: 0006-3363
- L10 ANSWER 8 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Becker, Sandy; Wang, Ze Jing; Massey, Heather; Arauz, Alexy; Labosky, Patricia; Hammerschmidt, Matthias; St-Jacques, Benoit; Bumcrot, David; McMahon, Andrew; Grabel, Laura
TI A role for Indian hedgehog in extraembryonic **endoderm** differentiation in F9 **cells** and the early **mouse** embryo
SO Developmental Biology (1997), 187(2), 298-310
CODEN: DEBIAO; ISSN: 0012-1606
- L10 ANSWER 9 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Bielinska, Małgorzata; Narita, Naoko; Heikinheimo, Markku; Porter, Susan B.; Wilson, David B.
TI Erythropoiesis and vasculogenesis in **embryoid bodies** lacking visceral yolk sac **endoderm**
SO Blood (1996), 88(10), 3720-3730
CODEN: BLOOAW; ISSN: 0006-4971
- L10 ANSWER 10 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Abe, Koichiro; Niwa, Hitoshi; Iwase, Katsuro; Takiguchi, Masaki; Mori, Masataka; Abe, Shin-Ichi; Abe, Kuniya; Yamamura, Ken-Ichi
TI **Endoderm**-specific gene expression in embryonic stem **cells** differentiated to **embryoid bodies**
SO Experimental Cell Research (1996), 229(1), 27-34
CODEN: ECREAL; ISSN: 0014-4827
- L10 ANSWER 11 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU Czekay, Ralf-Peter [Reprint author]; Orlando, Robert A.; Woodward, Luann; Adamson, Eileen D.; Farquhar, Marilyn G.
TI The expression of megalin (gp330) and LRP diverges during F9 **cell** differentiation.
SO Journal of Cell Science, (1995) Vol. 108, No. 4, pp. 1433-1441.
CODEN: JNCBAI. ISSN: 0021-9533.
- L10 ANSWER 12 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Jiang, Rulang; Kato, Masato; Bernfield, Merton; Grabel, Laura B.
TI Expression of syndecan-1 changes during the differentiation of visceral and parietal **endoderm** from murine F9 teratocarcinoma **cells**
SO Differentiation (Berlin) (1995), 59(4), 225-33
CODEN: DFFNAW; ISSN: 0301-4681
- L10 ANSWER 13 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU Gerfen, R. W.; Wheeler, M. B.
TI Isolation of embryonic **cell**-lines from porcine blastocysts.
SO Animal Biotechnology, (1995) Vol. 6, No. 1, pp. 1-14.
CODEN: ANBTEN. ISSN: 1049-5398.
- L10 ANSWER 14 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Lin T.-P.; Labosky P.A.; Grabel L.B.; Kozak C.A.; Pitman J.L.; Kleeman J.; MacLeod C.L.
TI The Pem homeobox gene is X-linked and exclusively expressed in extraembryonic tissue during early murine development.
SO Developmental Biology, (1994) 166/1 (170-179).
ISSN: 0012-1606 CODEN: DEBIAO
- L10 ANSWER 15 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Cruz Y.P.; Treichel R.S.; Harsay E.; Chi K.D.

- TI **Mouse** blastocyst immunosurgery with commercial antiserum to
mouse erythrocytes.
SO In Vitro Cellular and Developmental Biology - Animal, (1993) 29 A/8
(671-675).
ISSN: 0883-8364 CODEN: ICDBEO
- L10 ANSWER 16 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Keller, Gordon; Kennedy, Marion; Papayannopoulou, Thalia; Wiles, Michael
V.
TI Hematopoietic commitment during embryonic stem **cell**
differentiation in **culture**
SO Molecular and Cellular Biology (1993), 13(1), 473-86
CODEN: MCEBD4; ISSN: 0270-7306
- L10 ANSWER 17 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Labosky, Patricia A.; Weir, Michael P.; Grabel, Laura B.
TI Homeobox-containing genes in teratocarcinoma **embryoid**
bodies: a possible role for Hox-D12 (Hox-4.7) in establishing the
extraembryonic **endoderm** lineage in the **mouse**
SO Developmental Biology (Orlando, FL, United States) (1993),
159(2), 232-44
CODEN: DEBIAO; ISSN: 0012-1606
- L10 ANSWER 18 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Labosky, Patricia A.; Weir, Michael P.; Grabel, Laura B.
TI Homeobox-containing genes in teratocarcinoma **embryoid**
bodies: a possible role for Hox-D12 (Hox-4.7) in establishing the
extraembryonic **endoderm** lineage in the **mouse**
SO Developmental Biology (Orlando, FL, United States) (1993),
159(1), 232-44
CODEN: DEBIAO; ISSN: 0012-1606
- L10 ANSWER 19 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Slager, H.G.; Van Inzen, W.; Freund, E.; Van Den Eijnden-Van Raaij,
A.J.M.; Mummery, C.L.
TI Transforming growth factor-beta. in the early **mouse** embryo:
implications for the regulation of muscle formation and implantation
SO Developmental Genetics (New York, NY, United States) (1993),
14(3), 212-24
CODEN: DGNTDW; ISSN: 0192-253X
- L10 ANSWER 20 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU Hayashi, Tsukasa; Okazaki, Masayuki; Furusawa, Tadashi; Sudo, Tadashi
TI Establishment of pluripotent **cell** lines from rabbit embryos.
SO Journal of Reproduction and Development, (1993) Vol. 39, No. 6, pp.
J43-J48.
ISSN: 0916-8818.
- L10 ANSWER 21 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Sukoyan M.A.; Golubitsa A.N.; Zhelezova A.I.; Shilov A.G.; Vatolin S.Y.;
Maximovsky L.P.; Andreeva L.E.; McWhir J.; Pack S.D.; Bayborodin S.I.;
Kerkis A.Y.; Kizilova H.I.; Serov O.L.
TI Isolation and cultivation of blastocyst-derived stem **cell** lines
from American mink (*Mustela vison*).
SO Molecular Reproduction and Development, (1992) 33/4 (418-431).
ISSN: 1040-452X CODEN: MREDEE
- L10 ANSWER 22 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN
AU Becker S.; Casanova J.; Grabel L.
TI Localization of **endoderm**-specific mRNAs in differentiating F9

- embryoid bodies.**
- SO Mechanisms of Development, (1992) 37/1-2 (3-12).
ISSN: 0925-4773 CODEN: MEDVE6
- L10 ANSWER 23 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Baribault, Helene; Oshima, Robert G.
TI Polarized and functional epithelia can form after the targeted inactivation of both **mouse** keratin 8 alleles
SO Journal of Cell Biology (1991), 115(6), 1675-84
CODEN: JCLBA3; ISSN: 0021-9525
- L10 ANSWER 24 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
AU Monzo M.; Barnadas A.; De Anta J.M.; Ruano D.
TI Laminin and fibronectin expression during in vivo growth of **embryoid bodies** derived from teratocarcinoma.
SO Virchows Archiv - A Pathological Anatomy and Histopathology, (1991) 418/6 (509-514).
ISSN: 0174-7398 CODEN: VAAHDJ
- L10 ANSWER 25 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU AZUMA S [Reprint author]; TOYODA Y
TI PRODUCTION OF A GERM-LINE CHIMERIC **MOUSE** DERIVED FROM NEWLY ESTABLISHED EMBRYONIC STEM **CELLS**.
SO Japanese Journal of Animal Reproduction, (1991) Vol. 37, No. 1, pp. 37-44.
CODEN: KHZADH. ISSN: 0385-9932.
- L10 ANSWER 26 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
AU Whitman M.M.; Shen Y.-M.; Soprano D.; Soprano K.J.
TI Molecular analysis of early growth-associated events during the differentiation of F9 **cells** into **embryoid bodies**.
SO Cancer Research, (1990) 50/11 (3193-3198).
ISSN: 0008-5472 CODEN: CNREA8
- L10 ANSWER 27 OF 62 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
AU Adler R.R.; Brenner C.A.; Werb Z.
TI Expression of extracellular matrix-degrading metalloproteinases and metalloproteinase inhibitors is developmentally regulated during **endoderm** differentiation of embryonal carcinoma **cells**.
SO Development, (1990) 110/1 (211-220).
ISSN: 0950-1991 CODEN: DEVPED
- L10 ANSWER 28 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU PARCHMENT R E [Reprint author]; GRAMZINSKI R A; PIERCE G B
TI NEOPLASTIC **EMBRYOID BODIES** OF EMBRYONAL CARCINOMA C44 AS A SOURCE OF BLASTOCYSTE-LIKE FLUID.
SO Differentiation, (1990) Vol. 43, No. 1, pp. 51-58.
CODEN: DFFNAW. ISSN: 0301-4681.
- L10 ANSWER 29 OF 62 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AU SABBAG K R [Reprint author]; CASANOVA J E; GRABEL L B
TI PLASMINOGEN ACTIVATOR EXPRESSION IN F9 TERATOCARCINOMA **EMBRYOID BODIES** AND THEIR **ENDODERM** DERIVATIVES.
SO Development (Cambridge), (1989) Vol. 106, No. 1, pp. 195-202.
CODEN: DEVPED. ISSN: 0950-1991.
- L10 ANSWER 30 OF 62 CAPLUS COPYRIGHT 2004 ACS on STN
AU Matsuzawa, Tetsuro; Ojima-Kasahara, Sakiko; Kitamura, Masanobu
TI Differential expressions of two types of alkaline phosphatase during